

(SEE PARA 2, BELOW).

IN OTHER THAN THE BURNES CHARGE BY

(4) TRANSAMINASES - ALL WITHIN NORMAL LIMITS, EXCEPT TWO REPORTS

(2) CEPHALIN FLOCCULATION - ALL WITHIN NORMAL LIMITS.

(3) THYMOL TURBIDITY - ALL WITHIN NORMAL LIMITS.

Approved For Release 2000/08/21: CIA-RDP33-02415A00040000000003-2

TN 70780

25X1A6c

1402

PAGE TWO

2. TWO REPORTED CASES OF SIGNIFICANTLY ELEVATED TRANSAMINASE LEVELS:

25X1A2g

25X1A6a

REPORTED (REF B). FOLLOWUP REPORT FROM HOSPITAL (REF C)
INDICATES DRASTIC REDUCTION IN TRANSAMINASE LEVELS ON REPEAT
STURDIES, AND NO APPARENT SUBSECUENT DEVELOPMENTS.

25X1A2g

25X1A5a1

- B. SECOND CASE, INVOLVING CIVILIAN PERSONNEL, JUST REPORTED WITH MOD ELEVATED SGOT AND SGPT VALUES (REPEATED ONE TIME). INTERVIEW WITH INDIVIDUAL CONCERNED REVEALS FOL INFO:

 (1) INDIVIDUAL REPORTEDLY HAD ABNORMAL LIVER FUNCTION VALUES DOCUMENTED PRIOR TO OPERATION, WHILE HE BEING EVALUATED AND TREATED FOR NON-HEPATIC DISEASE;
- (2) A PLAUSIBLE (PRESENT AND PRIOR) EXPLANATION FOR ELEVATED TRANSAMINASE VALUES, NOT RELATED TO INTESTINAL/PARASITIC DISEASE, EXISTS, AND
- (3) INDIVIDUAL CONCERNED IS PRESENTLY ASYMPTOMATIC. HE HAS BEEN REFERRED TO HIS PRIVATE PHYSICIAN FOR FURTHER EVALUATION AND TREATMENT.
- 3. NO INDICATIONS FOUND TO PERFORM TESTS ON FIRST GROUP RETURNEES.
 - 4. NO MALARIA INDICATIONS FOUND, TO-DATE.
- 5. IN VIEW ABOVE RESULTS, PLAN NOT TEST PERSONNEL RETURNING AFTER 6 MAR 63, UNLESS CLINICALLY INDICATED.

Approved FOR SAME JUDIA S HAVE STOOL RE-EVALUATED IN 4-6 MONTHS FOR COMPLETENESS AND VALIDITY OF THIS STUDY.